

FEATURES & BENEFITS

-  cable and fibre optic line markers mounted in bases
-  easy installation by removing from base and crimping on cables, which saves time and ensures convenience
- 
-  wide selection of characters

LOGISTIC DATA

Quantity in package [pcs] 5

APPLICATION

MECHANICAL DATA

Colour white
Overprint colour black
Material POM
Operating temperature [°C] -30 ÷ +90



Type	Index Ergom	Cable external diameter [mm]	Sign
OPMS-01"/" (5 PCS)	E04ZP-01010503803	1,00 ÷ 1,40	Z
OPMS-01"/" (5 PCS)	E04ZP-01010503703	1,00 ÷ 1,40	+
OPMS-01"/"0" (5 PCS)	E04ZP-01010500103	1,00 ÷ 1,40	0
OPMS-01"/"1" (5 PCS)	E04ZP-01010500203	1,00 ÷ 1,40	2
OPMS-01"/"2" (5 PCS)	E04ZP-01010500303	1,00 ÷ 1,40	3
OPMS-01"/"3" (5 PCS)	E04ZP-01010500403	1,00 ÷ 1,40	4
OPMS-01"/"4" (5 PCS)	E04ZP-01010500503	1,00 ÷ 1,40	5
OPMS-01"/"5" (5 PCS)	E04ZP-01010500603	1,00 ÷ 1,40	6
OPMS-01"/"6" (5 PCS)	E04ZP-01010500703	1,00 ÷ 1,40	7
OPMS-01"/"7" (5 PCS)	E04ZP-01010500803	1,00 ÷ 1,40	8
OPMS-01"/"8" (5 PCS)	E04ZP-01010500903	1,00 ÷ 1,40	9
OPMS-01"/"9" (5 PCS)	E04ZP-01010501003	1,00 ÷ 1,40	A
OPMS-01"/"A" (5 PCS)	E04ZP-01010501103	1,00 ÷ 1,40	B
OPMS-01"/"B" (5 PCS)	E04ZP-01010501203	1,00 ÷ 1,40	C
OPMS-01"/"C" (5 PCS)	E04ZP-01010501303	1,00 ÷ 1,40	D
OPMS-01"/"D" (5 PCS)	E04ZP-01010501403	1,00 ÷ 1,40	E
OPMS-01"/"E" (5 PCS)	E04ZP-01010501503	1,00 ÷ 1,40	F
OPMS-01"/"F" (5 PCS)	E04ZP-01010501603	1,00 ÷ 1,40	G
OPMS-01"/"G" (5 PCS)	E04ZP-01010501703	1,00 ÷ 1,40	H
OPMS-01"/"H" (5 PCS)	E04ZP-01010501803	1,00 ÷ 1,40	I
OPMS-01"/"I" (5 PCS)	E04ZP-01010501903	1,00 ÷ 1,40	J
OPMS-01"/"J" (5 PCS)	E04ZP-01010502003	1,00 ÷ 1,40	K
OPMS-01"/"K" (5 PCS)	E04ZP-01010502103	1,00 ÷ 1,40	L
OPMS-01"/"L" (5 PCS)	E04ZP-01010502203	1,00 ÷ 1,40	M
OPMS-01"/"M" (5 PCS)	E04ZP-01010502303	1,00 ÷ 1,40	N
OPMS-01"/"N" (5 PCS)	E04ZP-01010502403	1,00 ÷ 1,40	O
OPMS-01"/"O" (5 PCS)	E04ZP-01010502503	1,00 ÷ 1,40	P
OPMS-01"/"P" (5 PCS)	E04ZP-01010502603	1,00 ÷ 1,40	Q
OPMS-01"/"Q" (5 PCS)	E04ZP-01010502703	1,00 ÷ 1,40	R
OPMS-01"/"R" (5 PCS)	E04ZP-01010502803	1,00 ÷ 1,40	S
OPMS-01"/"S" (5 PCS)	E04ZP-01010502903	1,00 ÷ 1,40	T
OPMS-01"/"U" (5 PCS)	E04ZP-01010503103	1,00 ÷ 1,40	V

Type	Index Ergom	Cable external diameter [mm]	Sign
OPMS-01"/"T" (5 PCS)	E04ZP-01010503003	1,00 ± 1,40	U
OPMS-01"/"V" (5 PCS)	E04ZP-01010503203	1,00 ± 1,40	W
OPMS-01"/"W" (5 PCS)	E04ZP-01010503303	1,00 ± 1,40	+
OPMS-01"/"X" (5 PCS)	E04ZP-01010503403	1,00 ± 1,40	-
OPMS-01"/"Y" (5 PCS)	E04ZP-01010503503	1,00 ± 1,40	Y
OPMS-01"/"Z" (5 PCS)	E04ZP-01010503603	1,00 ± 1,40	X
OPMS-01"/"BN" (5 PCS)	E04ZP-01010503903	1,00 ± 1,40	No overprint
OPMS-02"/"0" (5 PCS)	E04ZP-01010603803	1,40 ± 1,80	-
OPMS-02"/"1" (5 PCS)	E04ZP-01010603703	1,40 ± 1,80	+
OPMS-02"/"2" (5 PCS)	E04ZP-01010600103	1,40 ± 1,80	0
OPMS-02"/"3" (5 PCS)	E04ZP-01010600203	1,40 ± 1,80	-
OPMS-02"/"4" (5 PCS)	E04ZP-01010600303	1,40 ± 1,80	2
OPMS-02"/"5" (5 PCS)	E04ZP-01010600403	1,40 ± 1,80	3
OPMS-02"/"6" (5 PCS)	E04ZP-01010600503	1,40 ± 1,80	4
OPMS-02"/"7" (5 PCS)	E04ZP-01010600603	1,40 ± 1,80	5
OPMS-02"/"8" (5 PCS)	E04ZP-01010600703	1,40 ± 1,80	6
OPMS-02"/"9" (5 PCS)	E04ZP-01010600803	1,40 ± 1,80	7
OPMS-02"/"A" (5 PCS)	E04ZP-01010600903	1,40 ± 1,80	8
OPMS-02"/"B" (5 PCS)	E04ZP-01010601003	1,40 ± 1,80	9
OPMS-02"/"C" (5 PCS)	E04ZP-01010601103	1,40 ± 1,80	A
OPMS-02"/"D" (5 PCS)	E04ZP-01010601203	1,40 ± 1,80	B
OPMS-02"/"E" (5 PCS)	E04ZP-01010601303	1,40 ± 1,80	C
OPMS-02"/"F" (5 PCS)	E04ZP-01010601403	1,40 ± 1,80	D
OPMS-02"/"G" (5 PCS)	E04ZP-01010601503	1,40 ± 1,80	E
OPMS-02"/"H" (5 PCS)	E04ZP-01010601603	1,40 ± 1,80	F
OPMS-02"/"I" (5 PCS)	E04ZP-01010601703	1,40 ± 1,80	G
OPMS-02"/"J" (5 PCS)	E04ZP-01010601803	1,40 ± 1,80	H
OPMS-02"/"K" (5 PCS)	E04ZP-01010601903	1,40 ± 1,80	I
OPMS-02"/"L" (5 PCS)	E04ZP-01010602003	1,40 ± 1,80	J
OPMS-02"/"M" (5 PCS)	E04ZP-01010602103	1,40 ± 1,80	K
OPMS-02"/"N" (5 PCS)	E04ZP-01010602203	1,40 ± 1,80	L
OPMS-02"/"O" (5 PCS)	E04ZP-01010602303	1,40 ± 1,80	M
OPMS-02"/"P" (5 PCS)	E04ZP-01010602403	1,40 ± 1,80	N
OPMS-02"/"Q" (5 PCS)	E04ZP-01010602503	1,40 ± 1,80	O
OPMS-02"/"R" (5 PCS)	E04ZP-01010602603	1,40 ± 1,80	P
OPMS-02"/"S" (5 PCS)	E04ZP-01010602703	1,40 ± 1,80	Q
OPMS-02"/"T" (5 PCS)	E04ZP-01010602803	1,40 ± 1,80	R
OPMS-02"/"U" (5 PCS)	E04ZP-01010602903	1,40 ± 1,80	S
OPMS-02"/"V" (5 PCS)	E04ZP-01010603003	1,40 ± 1,80	T
OPMS-02"/"W" (5 PCS)	E04ZP-01010603103	1,40 ± 1,80	U
OPMS-02"/"X" (5 PCS)	E04ZP-01010603203	1,40 ± 1,80	V
OPMS-02"/"Y" (5 PCS)	E04ZP-01010603303	1,40 ± 1,80	W
OPMS-02"/"Z" (5 PCS)	E04ZP-01010603403	1,40 ± 1,80	X
OPMS-02"/"0" (5 PCS)	E04ZP-01010603503	1,40 ± 1,80	Y
OPMS-02"/"1" (5 PCS)	E04ZP-01010603603	1,40 ± 1,80	Z
OPMS-1"/"0" (5 PCS)	E04ZP-01010103403	1,90 ± 2,65	-
OPMS-1"/"1" (5 PCS)	E04ZP-01010103303	1,90 ± 2,65	+
OPMS-1"/"2" (5 PCS)	E04ZP-01010100103	1,90 ± 2,65	-
OPMS-1"/"3" (5 PCS)	E04ZP-01010100203	1,90 ± 2,65	2
OPMS-1"/"4" (5 PCS)	E04ZP-01010100303	1,90 ± 2,65	3
OPMS-1"/"5" (5 PCS)	E04ZP-01010100403	1,90 ± 2,65	4
OPMS-1"/"6" (5 PCS)	E04ZP-01010100503	1,90 ± 2,65	5
OPMS-1"/"7" (5 PCS)	E04ZP-01010100603	1,90 ± 2,65	6
OPMS-1"/"8" (5 PCS)	E04ZP-01010100703	1,90 ± 2,65	7
OPMS-1"/"9" (5 PCS)	E04ZP-01010100803	1,90 ± 2,65	8
OPMS-1"/"A" (5 PCS)	E04ZP-01010100903	1,90 ± 2,65	9
OPMS-1"/"B" (5 PCS)	E04ZP-01010101003	1,90 ± 2,65	A
OPMS-1"/"C" (5 PCS)	E04ZP-01010101103	1,90 ± 2,65	B
OPMS-1"/"D" (5 PCS)	E04ZP-01010101203	1,90 ± 2,65	C
OPMS-1"/"E" (5 PCS)	E04ZP-01010101303	1,90 ± 2,65	D
OPMS-1"/"F" (5 PCS)	E04ZP-01010101403	1,90 ± 2,65	E
OPMS-1"/"G" (5 PCS)	E04ZP-01010101503	1,90 ± 2,65	F
OPMS-1"/"H" (5 PCS)	E04ZP-01010101603	1,90 ± 2,65	G

Type	Index Ergom	Cable external diameter [mm]	Sign
OPMS-1/"H" (5 PCS)	E04ZP-01010101703	1,90 ± 2,65	H
OPMS-1/"I" (5 PCS)	E04ZP-01010101803	1,90 ± 2,65	I
OPMS-1/"J" (5 PCS)	E04ZP-01010101903	1,90 ± 2,65	J
OPMS-1/"K" (5 PCS)	E04ZP-01010102003	1,90 ± 2,65	K
OPMS-1/"L" (5 PCS)	E04ZP-01010102103	1,90 ± 2,65	L
OPMS-1/"M" (5 PCS)	E04ZP-01010102203	1,90 ± 2,65	M
OPMS-1/"N" (5 PCS)	E04ZP-01010102303	1,90 ± 2,65	N
OPMS-1/"O" (5 PCS)	E04ZP-01010102403	1,90 ± 2,65	O
OPMS-1/"P" (5 PCS)	E04ZP-01010102503	1,90 ± 2,65	P
OPMS-1/"Q" (5 PCS)	E04ZP-01010102603	1,90 ± 2,65	Q
OPMS-1/"R" (5 PCS)	E04ZP-01010102703	1,90 ± 2,65	R
OPMS-1/"S" (5 PCS)	E04ZP-01010102803	1,90 ± 2,65	S
OPMS-1/"T" (5 PCS)	E04ZP-01010102903	1,90 ± 2,65	T
OPMS-1/"U" (5 PCS)	E04ZP-01010103003	1,90 ± 2,65	U
OPMS-1/"V" (5 PCS)	E04ZP-01010103103	1,90 ± 2,65	V
OPMS-1/"W" (5 PCS)	E04ZP-01010103203	1,90 ± 2,65	W
OPMS-1/"X" (5 PCS)	E04ZP-01010103603	1,90 ± 2,65	X
OPMS-1/"Y" (5 PCS)	E04ZP-01010103703	1,90 ± 2,65	Y
OPMS-1/"Z" (5 PCS)	E04ZP-01010103803	1,90 ± 2,65	Z
OPMS-1/BN (5 PCS)	E04ZP-01010104003	1,90 ± 2,65	No overprint
OPMS-1/UZ (5 PCS)	E04ZP-01010103503	1,90 ± 2,65	UZ - earthing symbol

