

Ring terminals, KO type

FEATURES & BENEFITS

- ✓ ring cable lug Cu, as per DIN - low-cost and popular solution
- ✓ description of cable cross-section and cable lug size on palm surface
- ✓ soldered seam of the tubular part

MECHANICAL DATA


Material	Cu
Surface	tin-plated

CERTIFICATES & STANDARDS

UL certificate	E475284 (according to table in the technical data sheet)
Design	DIN 46234

NOTE!

UL certificate - for up-to-date information, visit www.ergom.com



Type	Index Ergom	Cross-section [mm²]	Screw hole	DIN	UL	d	D	s	a	E	W	Quantity in package [pcs]	Weight [kg]
KO 0,5/2 (100 PCS)	E09KO-01010100101	0,2÷0,5	M 2	√	-	1,0	2,0	0,5	4	10	5	100	0,02
KO 0,5/2,5 (100 PCS)	E09KO-01010100201		M 2,5									25	0,01
KO 0,5/3 (100 PCS)	E09KO-01010100301		M 3									100	0,03
KO 0,5/3 (25 PCS)	E09KO-01010100303		M 3,5									25	0,01
KO 0,5/3,5 (100 PCS)	E09KO-01010100401		M 4							12	6,5	100	0,03
KO 0,5/4 (100 PCS)	E09KO-01010100501		M 4									25	0,01
KO 0,5/4 (25 PCS)	E09KO-01010100503		M 5									100	0,03
KO 0,5/5 (100 PCS)	E09KO-01010100601		M 5									25	0,01
KO 1/2,5 (100 PCS)	E09KO-01010100700	0,75÷1	M 2,5	√						11	6	100	0,06
KO 1/3 (100 PCS)	E09KO-01010100800		M 3									25	0,02
KO 1/3 (25 PCS)	E09KO-01010100802		M 3,5									100	0,06
KO 1/3,5 (100 PCS)	E09KO-01010100900		M 4									25	0,02
KO 1/3,5 (25 PCS)	E09KO-01010100902		M 5							12	8	100	0,07
KO 1/4 (100 PCS)	E09KO-01010101000		M 4									25	0,02
KO 1/4 (25 PCS)	E09KO-01010101002		M 5									100	0,08
KO 1/5 (100 PCS)	E09KO-01010101100		M 6							13	10	25	0,02
KO 1/5 (25 PCS)	E09KO-01010101102		M 8									100	0,07
KO 1/6 (100 PCS)	E09KO-01010101200		M 8									25	0,02
KO 1/6 (25 PCS)	E09KO-01010101202		M 10									100	0,12
KO 1/8 (100 PCS)	E09KO-01010101300		M 10							17	14	25	0,03
KO 1/8 (25 PCS)	E09KO-01010101302											100	0,1
KO 1/10 (100 PCS)	E09KO-01010101400											25	0,03
KO 1/10 (25 PCS)	E09KO-01010101402												

Type	Index Ergom	Cross-section [mm²]	Screw hole	DIN	UL	d	D	s	a	E	W	Quantity in package [pcs]	Weight [kg]
KO 2,5/3 (100 PCS)	E09KO-01010101500	1,5÷2,5	M 3	√	√	2,3	3,9	0,8	5	11	6	100	0,06
KO 2,5/3 (25 PCS)	E09KO-01010101502		M 3,5									25	0,02
KO 2,5/3,5 (100 PCS)	E09KO-01010101600		M 4									100	0,06
KO 2,5/3,5 (25 PCS)	E09KO-01010101602		M 4									25	0,02
KO 2,5/4 (100 PCS)	E09KO-01010101700		M 5	√	√	2,3	3,9	0,8	5	12	8	100	0,08
KO 2,5/4 (25 PCS)	E09KO-01010101702		M 5									25	0,02
KO 2,5/5 (100 PCS)	E09KO-01010101800		M 6									100	0,09
KO 2,5/5 (25 PCS)	E09KO-01010101802		M 6									25	0,03
KO 2,5/6 (100 PCS)	E09KO-01010101900		M 8	–	–	2,3	3,9	0,8	5	14	10	100	0,11
KO 2,5/6 (25 PCS)	E09KO-01010101902		M 8									25	0,03
KO 2,5/8 (100 PCS)	E09KO-01010102000		M 10									100	0,13
KO 2,5/8 (25 PCS)	E09KO-01010102002		M 10									25	0,04
KO 2,5/10 (100 PCS)	E09KO-01010102100		M 12	–	–	2,3	3,9	0,8	5	16	11	100	0,17
KO 2,5/10 (25 PCS)	E09KO-01010102102		M 12									25	0,05
KO 2,5/12 (100 PCS)	E09KO-01010102200		M 16									100	0,14
KO 2,5/12 (25 PCS)	E09KO-01010102202		M 16									25	0,05
KO 2,5/16 (100 PCS)	E09KO-01010102301	4÷6	M 3,5	–	–	3,6	5,6	1,0	6	14	8	100	0,3
KO 2,5/16 (25 PCS)	E09KO-01010102303		M 3,5									25	0,08
KO 6/3,5 (100 PCS)	E09KO-01010102400		M 4	√	√	3,6	5,6	1,0	6	15	10	100	0,14
KO 6/3,5 (25 PCS)	E09KO-01010102402		M 4									25	0,04
KO 6/4 (100 PCS)	E09KO-01010102500		M 5									100	0,16
KO 6/4 (25 PCS)	E09KO-01010102502		M 5									25	0,04
KO 6/5 (100 PCS)	E09KO-01010102600		M 6	√	√	3,6	5,6	1,0	6	16	11	100	0,17
KO 6/5 (25 PCS)	E09KO-01010102602		M 6									25	0,05
KO 6/6 (100 PCS)	E09KO-01010102700		M 8									100	0,21
KO 6/6 (25 PCS)	E09KO-01010102702		M 8									25	0,06
KO 6/8 (100 PCS)	E09KO-01010102800		M 10	–	–	3,6	5,6	1,0	6	19	14	100	0,27
KO 6/8 (25 PCS)	E09KO-01010102802		M 10									25	0,07
KO 6/10 (100 PCS)	E09KO-01010102900		M 12									100	0,23
KO 6/10 (25 PCS)	E09KO-01010102902		M 12									25	0,06
KO 6/12 (100 PCS)	E09KO-01010103001	10	M 4	–	–	4,5	6,7	1,1	8	16	10	100	0,24
KO 6/12 (25 PCS)	E09KO-01010103003		M 4									10	0,03
KO 10/4 (100 PCS)	E09KO-01010103100		M 5	√	√	4,5	6,7	1,1	8	17	11	100	0,23
KO 10/4 (10 PCS)	E09KO-01010103102		M 5									10	0,03
KO 10/5 (100 PCS)	E09KO-01010103200		M 6									100	0,23
KO 10/5 (10 PCS)	E09KO-01010103202		M 6									10	0,03
KO 10/6 (100 PCS)	E09KO-01010103300		M 8	√	√	4,5	6,7	1,1	8	20	14	100	0,28
KO 10/6 (10 PCS)	E09KO-01010103302		M 8									10	0,03
KO 10/8 (100 PCS)	E09KO-01010103400		M 10									100	0,34
KO 10/8 (10 PCS)	E09KO-01010103402		M 10									10	0,04
KO 10/10 (100 PCS)	E09KO-01010103500		M 12	–	–	4,5	6,7	1,1	8	21	18	100	0,42
KO 10/10 (10 PCS)	E09KO-01010103502		M 12									10	0,05
KO 10/12 (100 PCS)	E09KO-01010103601		M 12									100	0,38
KO 10/12 (10 PCS)	E09KO-01010103603		M 12									10	0,05
KO 16/5 (100 PCS)	E09KO-01010103700	16	M 5	√	√	5,8	8,2	1,2	10	20	11	100	0,36
KO 16/5 (10 PCS)	E09KO-01010103702		M 5									10	0,04
KO 16/6 (100 PCS)	E09KO-01010103800		M 6									100	0,42
KO 16/6 (10 PCS)	E09KO-01010103802		M 6									10	0,04
KO 16/8 (100 PCS)	E09KO-01010103900		M 8	–	–	5,8	8,2	1,2	10	22	14	100	0,58
KO 16/8 (10 PCS)	E09KO-01010103902		M 8									10	0,05
KO 16/10 (100 PCS)	E09KO-01010104000		M 10									100	0,5
KO 16/10 (10 PCS)	E09KO-01010104002		M 10									10	0,05
KO 16/12 (100 PCS)	E09KO-01010104101		M 12	–	–	5,8	8,2	1,2	10	24	18	100	0,58
KO 16/12 (10 PCS)	E09KO-01010104103		M 12									10	0,06

Type	Index Ergom	Cross-section [mm²]	Screw hole	DIN	UL	d	D	s	a	E	W	Quantity in package [pcs]	Weight [kg]												
KO 25/5 (100 PCS)	E09KO-01010104200	25	M 5	√	√	7,5	10,5	1,5	11	25	12	100	0,72												
KO 25/5 (10 PCS)	E09KO-01010104202											10	0,08												
KO 25/6 (100 PCS)	E09KO-01010104300		M 6								-	9,0	12,2	1,6	12	27	18	100	0,7						
KO 25/6 (10 PCS)	E09KO-01010104302																	10	0,08						
KO 25/8 (100 PCS)	E09KO-01010104400		M 8														-	9,0	12,2	1,6	12	27	16	100	0,77
KO 25/8 (10 PCS)	E09KO-01010104402																							10	0,08
KO 25/10 (100 PCS)	E09KO-01010104500		M 10		-	9,0	12,2	1,6	12	27													18	100	0,8
KO 25/10 (10 PCS)	E09KO-01010104502																							10	0,08
KO 25/12 (100 PCS)	E09KO-01010104601		M 12								-	9,0	12,2	1,6	12	27							22	100	0,98
KO 25/12 (10 PCS)	E09KO-01010104603																							10	0,1
KO 25/16 (100 PCS)	E09KO-01010104701		M 16														-	9,0	12,2	1,6	12	27	28	100	1,2
KO 25/16 (10 PCS)	E09KO-01010104703																							10	0,1
KO 35/6 (100 PCS)	E09KO-01010104800	M 6	√	√	9,0	12,2	1,6	12	27	15													100	1	
KO 35/6 (10 PCS)	E09KO-01010104802																						10	0,1	
KO 35/8 (100 PCS)	E09KO-01010104900	M 8								√	9,0	12,2	1,6	12	27	16							100	0,97	
KO 35/8 (10 PCS)	E09KO-01010104902																						10	0,1	
KO 35/10 (100 PCS)	E09KO-01010105000	M 10														√	9,0	12,2	1,6	12	27	18	100	0,98	
KO 35/10 (10 PCS)	E09KO-01010105002																						10	0,1	
KO 35/12 (100 PCS)	E09KO-01010105101	M 12		-	9,0	12,2	1,6	12	27													22	100	1,2	
KO 35/12 (10 PCS)	E09KO-01010105103																						10	0,1	
KO 35/16 (100 PCS)	E09KO-01010105201	M 16								-	9,0	12,2	1,6	12	27							28	100	1,4	
KO 35/16 (10 PCS)	E09KO-01010105203																						10	0,2	
KO 50/6 (100 PCS)	E09KO-01010105400	M 6														√	√	11,0	14,6	1,8	16	34	18	100	1,65
KO 50/6 (10 PCS)	E09KO-01010105402																							10	0,2
KO 50/8 (100 PCS)	E09KO-01010105500	M 8	√	11,0	14,6	1,8	16	34	18														100	1,75	
KO 50/8 (10 PCS)	E09KO-01010105502																						10	0,2	
KO 50/10 (100 PCS)	E09KO-01010105600	M 10							√	11,0	14,6	1,8	16	34	22								100	1,63	
KO 50/10 (10 PCS)	E09KO-01010105602																						10	0,2	
KO 50/12 (100 PCS)	E09KO-01010105701	M 12													-		11,0	14,6	1,8	16	34	28	100	1,85	
KO 50/12 (10 PCS)	E09KO-01010105703																						10	0,2	
KO 50/16 (100 PCS)	E09KO-01010105801	M 16	-	11,0	14,6	1,8	16	34														32	100	2,15	
KO 50/16 (10 PCS)	E09KO-01010105803																						10	0,3	
KO 70/6 (100 PCS)	E09KO-01010106000	M 6							√	√	13,0	17,0	2,0	18								38	22	100	2,65
KO 70/6 (10 PCS)	E09KO-01010106002																							10	0,3
KO 70/8 (100 PCS)	E09KO-01010106100	M 8													√	13,0	17,0	2,0	18	38	22		100	2,6	
KO 70/8 (10 PCS)	E09KO-01010106102																						10	0,3	
KO 70/10 (100 PCS)	E09KO-01010106200	M 10	√	13,0	17,0	2,0	18	38													22		100	2,55	
KO 70/10 (10 PCS)	E09KO-01010106202																						10	0,3	
KO 70/12 (100 PCS)	E09KO-01010106300	M 12								-	13,0	17,0	2,0	18							38	22	100	2,4	
KO 70/12 (10 PCS)	E09KO-01010106302																						10	0,3	
KO 70/16 (100 PCS)	E09KO-01010106401	M 16													-	13,0	17,0	2,0	18	38		28	100	2,8	
KO 70/16 (10 PCS)	E09KO-01010106403																						10	0,3	
KO 70/20 (10 PCS)	E09KO-01010106503	M 20	-	-	-	-	-	-														-	10	0,3	
KO 95/8 (100 PCS)	E09KO-01010106600	M 8	√	√	15,0	20,0	2,5	20														42	24	100	4
KO 95/8 (10 PCS)	E09KO-01010106602								10	0,4															
KO 95/10 (100 PCS)	E09KO-01010106700	M 10							√	15,0	20,0	2,5	20	42							24		100	0,41	
KO 95/10 (10 PCS)	E09KO-01010106702														10	0,4									
KO 95/12 (100 PCS)	E09KO-01010106800	M 12													-	15,0	20,0	2,5	20	42	28		100	3,8	
KO 95/12 (10 PCS)	E09KO-01010106802																						10	0,4	
KO 95/16 (100 PCS)	E09KO-01010106901	M 16		-	15,0	20,0	2,5	20													42	28	100	3,9	
KO 95/16 (10 PCS)	E09KO-01010106903																						10	0,4	
KO 95/20 (10 PCS)	E09KO-01010107003	M 20							-	-	-	-	-	-								-	10	0,42	
KO 120/8 (50 PCS)	E09KO-01010107101	M 8							√	-	16,5	22,5	3,0	22								44	24	50	2,85
KO 120/8 (10 PCS)	E09KO-01010107103														10	0,3									
KO 120/10 (50 PCS)	E09KO-01010107201	M 10													-	16,5	22,5	3,0	22	44			24	50	2,8
KO 120/10 (10 PCS)	E09KO-01010107203		10	0,3																					
KO 120/12 (50 PCS)	E09KO-01010107301	M 12	-	16,5	22,5	3,0	22	44													24		50	2,7	
KO 120/12 (10 PCS)	E09KO-01010107303																						10	0,3	
KO 120/16 (50 PCS)	E09KO-01010107401	M 16								-	16,5	22,5	3,0	22							44	28	50	2,9	
KO 120/16 (10 PCS)	E09KO-01010107403																						10	0,3	
KO 120/20 (10 PCS)	E09KO-01010107503	M 20													-	-	-	-	-	-		-	10	0,64	

Type	Index Ergom	Cross-section [mm ²]	Screw hole	DIN	UL	d	D	s	a	E	W	Quantity in package [pcs]	Weight [kg]
KO 150/10 (50 PCS)	E09KO-01010107601	150	M 10	√	–	19,0	25,4	3,2	24	50	30	50	3,8
KO 150/10 (10 PCS)	E09KO-01010107603		M 10									10	0,4
KO 150/12 (50 PCS)	E09KO-01010107701		M 12									50	3,8
KO 150/12 (10 PCS)	E09KO-01010107703		M 12									10	0,4
KO 150/16 (50 PCS)	E09KO-01010107801		M 16									50	3,76
KO 150/16 (10 PCS)	E09KO-01010107803		M 16									10	0,4
KO 150/20 (10 PCS)	E09KO-01010107903		M 20	–					27	63	36	10	0,4
KO 185/10 (25 PCS)	E09KO-01010108001	185	M 10	√	–	21,0	28,0	3,5	28	50	36	25	2,53
KO 185/10 (10 PCS)	E09KO-01010108003		M 10									10	1,01
KO 185/12 (25 PCS)	E09KO-01010108101		M 12									25	2,53
KO 185/12 (10 PCS)	E09KO-01010108103		M 12									10	1,01
KO 185/16 (25 PCS)	E09KO-01010108201		M 16									25	2,6
KO 185/16 (10 PCS)	E09KO-01010108203		M 16									10	1,04
KO 240/10 (25 PCS)	E09KO-01010108401	240	M 10	√	–	23,5	32,0	4	32	56	38	25	3,7
KO 240/10 (10 PCS)	E09KO-01010108403		M 10									10	1,48
KO 240/12 (25 PCS)	E09KO-01010108501		M 12									25	3,58
KO 240/12 (10 PCS)	E09KO-01010108503		M 12									10	1,43
KO 240/16 (25 PCS)	E09KO-01010108601		M 16									25	3,73
KO 240/16 (10 PCS)	E09KO-01010108603		M 16									10	1,5
KO 240/20 (10 PCS)	E09KO-01010108703		M 20	–						69	44	10	1,54