

Tubular ring terminals, KOR type

FEATURES & BENEFITS



- ring terminal Cu, standard, with galvanic tin plating
- description of cable cross-section and terminal size on fin surface
- for voltage below 1 kV acc. to EN IEC 61238-1-1:2019
for the voltage range 1-36 kV acc. to EN IEC 61238-1-3:2019
- very wide range

MECHANICAL DATA

| | |
|----------|------------|
| Material | Cu |
| Surface | tin-plated |

CERTIFICATES & STANDARDS

| | |
|--------------------|--|
| Standards | EN IEC 61238-1-1:2019 EN IEC 61238-1-3:2019 - mechanical strength Class 1 - short-circuit resistance Class A for range of rated cross-section 25-240mm ² |
| Technical approval | PRS TE/2241/880567/19 |
| UL certificate | E475284 |
| Design | standard |



NOTE!

Sector-shaped conductors (sm) must be rounded with special dies. UL certificate - visit www.ergom.com

| Type | Index Ergom | Cross-section, m ² /mm ² | d | D | a | E | W | Screw hole | UL | Socket code no. | Lz/s | Lz/w | Quantity in package [pcs] | Weight [kg] |
|----------------------|-------------------|--|------|-----|------|------|-----|------------|----|-----------------|------|------|---------------------------|-------------|
| KOR 0,75/3 (100 PCS) | E11KM-01020100150 | 0,75 | 1,3 | 2,8 | 5,8 | 12,0 | 6,0 | M3 | √ | - | - | 1 | 100 | 0,06 |
| KOR 0,75/4 (100 PCS) | E11KM-01020100250 | | | | | 13,0 | 6,5 | M4 | | | | | | |
| KOR 0,75/5 (100 PCS) | E11KM-01020100350 | | | | | 14,0 | 7,5 | M5 | | | | | | |
| KOR 1,5/3 (100 PCS) | E11KM-01020100450 | 1,5 | 1,8 | 3,3 | 5,8 | 12,0 | 6,5 | M3 | √ | - | - | 1 | 100 | 0,08 |
| KOR 1,5/4 (100 PCS) | E11KM-01020100560 | | | | | 13,0 | | M4 | | | | | | 0,1 |
| KOR 1,5/5 (100 PCS) | E11KM-01020100660 | | | | | 14,0 | 7,5 | M5 | | | | | | 0,09 |
| KOR 1,5/6 (100 PCS) | E11KM-01020100760 | | | | | 16,0 | 9,0 | M6 | | | | | | 0,1 |
| KOR 2,5/3 (100 PCS) | E11KM-01020100850 | 2,5 | 2,3 | 4,2 | 5,8 | 12,0 | 7,5 | M3 | √ | - | - | 1 | 100 | 0,13 |
| KOR 2,5/4 (100 PCS) | E11KM-01020100950 | | | | | 13,0 | | M4 | | | | | | 0,14 |
| KOR 2,5/5 (100 PCS) | E11KM-01020101050 | | | | | 14,0 | 8,5 | M5 | | | | | | 0,16 |
| KOR 2,5/6 (100 PCS) | E11KM-01020101150 | 16,0 | 9,5 | M6 | 0,19 | | | | | | | | | |
| KOR 2,5/8 (100 PCS) | E11KM-01020101220 | 20,0 | 13,0 | M8 | 4 | 3,0 | 5,0 | 7,8 | √ | - | - | 1 | 100 | 0,22 |
| KOR 4/4 (100 PCS) | E11KM-01020101360 | 18,0 | 8,5 | M4 | | | | | | | | | | 0,26 |
| KOR 4/5 (100 PCS) | E11KM-01020101450 | 19,0 | 9,0 | M5 | | | | | | | | | | 0,28 |
| KOR 4/6 (100 PCS) | E11KM-01020101550 | 19,0 | 10,0 | M6 | 6 | 4,0 | 6,0 | 8,7 | √ | 4 | 1 | 1 | 100 | 0,3 |
| KOR 4/8 (100 PCS) | E11KM-01020101650 | 22,0 | 13,0 | M8 | | | | | | | | | | 0,31 |
| KOR 4/8 (100 PCS) | E11KM-01020101760 | 18,0 | 9,5 | M4 | | | | | | | | | | 0,35 |
| KOR 6/5 (100 PCS) | E11KM-01020101850 | 19,0 | 10,0 | M6 | 6 | 4,0 | 6,0 | 8,7 | √ | 4 | 1 | 1 | 100 | 0,37 |
| KOR 6/6 (100 PCS) | E11KM-01020101960 | 22,0 | 14,0 | M8 | | | | | | | | | | 0,4 |
| KOR 6/8 (100 PCS) | E11KM-01020102060 | 19,0 | 10,0 | M6 | | | | | | | | | | |
| KOR 6/10 (100 PCS) | E11KM-01020102160 | 25,0 | 16,0 | M10 | | | | | | | | | | |
| KOR 6/12 (100 PCS) | E11KM-01020102250 | | 19,0 | M12 | | | | | | | | | | |

| Type | Index Ergom | Cross-section, rm/sm [mm ²] | d | D | a | E | W | Screw hole | UL | Socket code no. | Lz/s | Lz/w | Quantity in package [pcs] | Weight [kg] | | | | | | | | |
|---------------------|-------------------|---|------|------|-----|------|------|------------|------|-----------------|------|------|---------------------------|-------------|------|-----|---|---|---|---|-----|------|
| KOR 10/5 (100 PCS) | E11KM-01020102300 | 10 | 4,5 | 7,0 | 10 | 21,0 | 12,0 | M5 | √ | 7 | 1 | 1 | 100 | 0,53 | | | | | | | | |
| KOR 10/5 (10 PCS) | E11KM-01020102302 | | | | | 10 | | 0,06 | | | | | | | | | | | | | | |
| KOR 10/6 (100 PCS) | E11KM-01020102400 | | | | | 21,5 | M6 | 100 | | | | | 0,52 | | | | | | | | | |
| KOR 10/6 (10 PCS) | E11KM-01020102402 | | | | | 10 | 0,06 | | | | | | | | | | | | | | | |
| KOR 10/8 (100 PCS) | E11KM-01020102500 | | | | | 23,5 | 15,0 | M8 | | | | | 100 | 0,6 | | | | | | | | |
| KOR 10/8 (10 PCS) | E11KM-01020102502 | | | | | 10 | 0,06 | | | | | | | | | | | | | | | |
| KOR 10/10 (100 PCS) | E11KM-01020102600 | | | | | 25,5 | 17,0 | M10 | | | | | 100 | 0,65 | | | | | | | | |
| KOR 10/10 (10 PCS) | E11KM-01020102602 | | | | | 10 | 0,07 | | | | | | | | | | | | | | | |
| KOR 10/12 (100 PCS) | E11KM-01020102700 | | | | | 26,5 | 19,0 | M12 | | | | | 100 | 0,64 | | | | | | | | |
| KOR 10/12 (10 PCS) | E11KM-01020102702 | | | | | 10 | 0,07 | | | | | | | | | | | | | | | |
| KOR 16/5 (100 PCS) | E11KM-01020102800 | | | | | 16 | 5,5 | 8,5 | | | | | 13 | 25,0 | 12,0 | M5 | √ | 8 | 1 | 2 | 100 | 0,91 |
| KOR 16/5 (10 PCS) | E11KM-01020102802 | | | | | | | | | | | | | 10 | | 0,1 | | | | | | |
| KOR 16/6 (100 PCS) | E11KM-01020102900 | 25,5 | M6 | 100 | 0,9 | | | | | | | | | | | | | | | | | |
| KOR 16/6 (10 PCS) | E11KM-01020102902 | 10 | 0,1 | | | | | | | | | | | | | | | | | | | |
| KOR 16/8 (100 PCS) | E11KM-01020103000 | 27,5 | 15,0 | M8 | 100 | | | | 0,97 | | | | | | | | | | | | | |
| KOR 16/8 (10 PCS) | E11KM-01020103002 | 10 | 0,1 | | | | | | | | | | | | | | | | | | | |
| KOR 16/10 (100 PCS) | E11KM-01020103100 | 29,5 | 17,0 | M10 | 100 | | | | 1 | | | | | | | | | | | | | |
| KOR 16/10 (10 PCS) | E11KM-01020103102 | 10 | 0,1 | | | | | | | | | | | | | | | | | | | |
| KOR 16/12 (100 PCS) | E11KM-01020103250 | 30,5 | 19,0 | M12 | 100 | | | | 1,1 | | | | | | | | | | | | | |
| KOR 16/12 (10 PCS) | E11KM-01020103252 | 10 | 0,2 | | | | | | | | | | | | | | | | | | | |
| KOR 25/5 (100 PCS) | E11KM-01020103300 | 25 | 7,0 | 10,0 | 15 | | | | 28,0 | 14,0 | M5 | √ | | 10 | 1 | 2 | | | | | 100 | 1,18 |
| KOR 25/5 (10 PCS) | E11KM-01020103302 | | | | | | | | 10 | | 0,2 | | | | | | | | | | | |
| KOR 25/6 (100 PCS) | E11KM-01020103400 | | | | | 28,5 | M6 | 100 | 1,22 | | | | | | | | | | | | | |
| KOR 25/6 (10 PCS) | E11KM-01020103402 | | | | | 10 | 0,2 | | | | | | | | | | | | | | | |
| KOR 25/8 (100 PCS) | E11KM-01020103500 | | | | | 30,5 | 16,0 | M8 | 100 | 1,25 | | | | | | | | | | | | |
| KOR 25/8 (10 PCS) | E11KM-01020103502 | | | | | 10 | 0,2 | | | | | | | | | | | | | | | |
| KOR 25/10 (100 PCS) | E11KM-01020103600 | | | | | 32,5 | 18,0 | M10 | 100 | 1,3 | | | | | | | | | | | | |
| KOR 25/10 (10 PCS) | E11KM-01020103602 | | | | | 10 | 0,2 | | | | | | | | | | | | | | | |
| KOR 25/12 (100 PCS) | E11KM-01020103700 | | | | | 33,5 | 19,0 | M12 | 100 | 1,3 | | | | | | | | | | | | |
| KOR 25/12 (10 PCS) | E11KM-01020103702 | | | | | 10 | 0,2 | | | | | | | | | | | | | | | |
| KOR 25/14 (100 PCS) | E11KM-01020103800 | | | | | 35,5 | 21,0 | M14 | 100 | 1,45 | | | | | | | | | | | | |
| KOR 25/14 (10 PCS) | E11KM-01020103802 | | | | | 10 | 0,2 | | | | | | | | | | | | | | | |
| KOR 35/5 (100 PCS) | E11KM-01020103880 | 35 | 8,5 | 12,0 | 17 | 31,5 | 18,0 | M5 | √ | 12 | 1 | 2 | 100 | 1,6 | | | | | | | | |
| KOR 35/5 (10 PCS) | E11KM-01020103882 | | | | | | | 10 | | | | | 0,2 | | | | | | | | | |
| KOR 35/6 (100 PCS) | E11KM-01020103900 | | | | | 31,5 | M6 | 100 | | | | | 1,8 | | | | | | | | | |
| KOR 35/6 (10 PCS) | E11KM-01020103902 | | | | | 10 | 0,2 | | | | | | | | | | | | | | | |
| KOR 35/8 (100 PCS) | E11KM-01020104000 | | | | | 33,5 | M8 | 100 | | | | | 1,94 | | | | | | | | | |
| KOR 35/8 (10 PCS) | E11KM-01020104002 | | | | | 10 | 0,2 | | | | | | | | | | | | | | | |
| KOR 35/10 (100 PCS) | E11KM-01020104100 | | | | | 35,5 | M10 | 100 | | | | | 2,1 | | | | | | | | | |
| KOR 35/10 (10 PCS) | E11KM-01020104102 | | | | | 10 | 0,3 | | | | | | | | | | | | | | | |
| KOR 35/12 (100 PCS) | E11KM-01020104200 | | | | | 36,5 | 20,0 | M12 | | | | | 100 | 2,05 | | | | | | | | |
| KOR 35/12 (10 PCS) | E11KM-01020104202 | | | | | 10 | 0,3 | | | | | | | | | | | | | | | |
| KOR 35/14 (100 PCS) | E11KM-01020104300 | | | | | 38,5 | 21,0 | M14 | | | | | 100 | 2,2 | | | | | | | | |
| KOR 35/14 (10 PCS) | E11KM-01020104302 | | | | | 10 | 0,3 | | | | | | | | | | | | | | | |
| KOR 35/16 (100 PCS) | E11KM-01020104400 | 39,5 | 26,0 | M16 | 100 | 2,3 | | | | | | | | | | | | | | | | |
| KOR 35/16 (10 PCS) | E11KM-01020104402 | 10 | 0,3 | | | | | | | | | | | | | | | | | | | |
| KOR 50/6 (100 PCS) | E11KM-01020104500 | 50 | 10,0 | 14,0 | 19 | 34,5 | 20,0 | M6 | √ | 14 | 1 | 2 | 100 | 2,58 | | | | | | | | |
| KOR 50/6 (10 PCS) | E11KM-01020104502 | | | | | 10 | | 0,3 | | | | | | | | | | | | | | |
| KOR 50/8 (100 PCS) | E11KM-01020104600 | | | | | 36,5 | M8 | 100 | | | | | 2,8 | | | | | | | | | |
| KOR 50/8 (10 PCS) | E11KM-01020104602 | | | | | 10 | 0,3 | | | | | | | | | | | | | | | |
| KOR 50/10 (100 PCS) | E11KM-01020104700 | | | | | 38,5 | M10 | 100 | | | | | 3,05 | | | | | | | | | |
| KOR 50/10 (10 PCS) | E11KM-01020104702 | | | | | 10 | 0,3 | | | | | | | | | | | | | | | |
| KOR 50/12 (100 PCS) | E11KM-01020104800 | | | | | 39,5 | 23,0 | M12 | | | | | 100 | 2,95 | | | | | | | | |
| KOR 50/12 (10 PCS) | E11KM-01020104802 | | | | | 10 | | 0,3 | | | | | | | | | | | | | | |
| KOR 50/14 (100 PCS) | E11KM-01020104900 | | | | | 41,5 | M14 | 100 | | | | | 3,2 | | | | | | | | | |
| KOR 50/14 (10 PCS) | E11KM-01020104902 | | | | | 10 | 0,4 | | | | | | | | | | | | | | | |
| KOR 50/16 (100 PCS) | E11KM-01020105000 | | | | | 42,5 | 28,0 | M16 | | | | | 100 | 3,3 | | | | | | | | |
| KOR 50/16 (10 PCS) | E11KM-01020105002 | | | | | 10 | 0,4 | | | | | | | | | | | | | | | |
| KOR 50/20 (100 PCS) | E11KM-01020105100 | 47,0 | 30,0 | M20 | 100 | 3,6 | | | | | | | | | | | | | | | | |
| KOR 50/20 (10 PCS) | E11KM-01020105102 | 10 | 0,4 | | | | | | | | | | | | | | | | | | | |

| Type | Index Ergom | Cross-section, rm/sm [mm ²] | d | D | a | E | W | Screw hole | UL | Socket code no. | Lz/s | Lz/w | Quantity in package [pcs] | Weight [kg] | | | | | | | | |
|---------------------|-------------------|---|------|------|----|------|------|------------|----|-----------------|------|------|---------------------------|-------------|------|----|---|----|---|---|------|-----|
| KOR 70/6 (100 PCS) | E11KM-01020105200 | 70 | 12,0 | 16,5 | 21 | 40,5 | 23,0 | M6 | √ | 16 | 1 | 2 | 100 | 4,25 | | | | | | | | |
| KOR 70/6 (10 PCS) | E11KM-01020105202 | | | | | | | 10 | | | | | 0,5 | | | | | | | | | |
| KOR 70/8 (100 PCS) | E11KM-01020105300 | | | | | | | 100 | | | | | 4,2 | | | | | | | | | |
| KOR 70/8 (10 PCS) | E11KM-01020105302 | | | | | | | 10 | | | | | 0,5 | | | | | | | | | |
| KOR 70/10 (100 PCS) | E11KM-01020105400 | | | | | 100 | 4,6 | | | | | | | | | | | | | | | |
| KOR 70/10 (10 PCS) | E11KM-01020105402 | | | | | 10 | 0,5 | | | | | | | | | | | | | | | |
| KOR 70/12 (100 PCS) | E11KM-01020105500 | | | | | 100 | 4,4 | | | | | | | | | | | | | | | |
| KOR 70/12 (10 PCS) | E11KM-01020105502 | | | | | 10 | 0,5 | | | | | | | | | | | | | | | |
| KOR 70/14 (100 PCS) | E11KM-01020105600 | | | | | 100 | 4,9 | | | | | | | | | | | | | | | |
| KOR 70/14 (10 PCS) | E11KM-01020105602 | | | | | 10 | 0,5 | | | | | | | | | | | | | | | |
| KOR 70/16 (100 PCS) | E11KM-01020105700 | | | | | 100 | 4,7 | | | | | | | | | | | | | | | |
| KOR 70/16 (10 PCS) | E11KM-01020105702 | | | | | 10 | 0,5 | | | | | | | | | | | | | | | |
| KOR 70/20 (100 PCS) | E11KM-01020105800 | | | | | 100 | 5 | | | | | | | | | | | | | | | |
| KOR 70/20 (10 PCS) | E11KM-01020105802 | | | | | 10 | 0,5 | | | | | | | | | | | | | | | |
| KOR 95/8 (50 PCS) | E11KM-01020105900 | | | | | 95 | 13,5 | 18,0 | | | | | 24 | 47,0 | 26,0 | M8 | √ | 17 | 1 | 2 | 50 | 2,8 |
| KOR 95/8 (10 PCS) | E11KM-01020105902 | | | | | | | | | | | | | | | 10 | | | | | 0,6 | |
| KOR 95/10 (50 PCS) | E11KM-01020106000 | | | | | | | | | | | | | | | 50 | | | | | 2,72 | |
| KOR 95/10 (10 PCS) | E11KM-01020106002 | | | | | | | | | | | | | | | 10 | | | | | 0,6 | |
| KOR 95/12 (50 PCS) | E11KM-01020106100 | | | | | | | | | | | | | 50 | 2,65 | | | | | | | |
| KOR 95/12 (10 PCS) | E11KM-01020106102 | | | | | | | | | | | | | 10 | 0,6 | | | | | | | |
| KOR 95/14 (50 PCS) | E11KM-01020106200 | 50 | 2,85 | | | | | | | | | | | | | | | | | | | |
| KOR 95/14 (10 PCS) | E11KM-01020106202 | 10 | 0,6 | | | | | | | | | | | | | | | | | | | |
| KOR 95/16 (50 PCS) | E11KM-01020106300 | 50 | 2,85 | | | | | | | | | | | | | | | | | | | |
| KOR 95/16 (10 PCS) | E11KM-01020106302 | 10 | 0,6 | | | | | | | | | | | | | | | | | | | |
| KOR 95/20 (50 PCS) | E11KM-01020106400 | 50 | 3,1 | | | | | | | | | | | | | | | | | | | |
| KOR 95/20 (10 PCS) | E11KM-01020106402 | 10 | 0,7 | | | | | | | | | | | | | | | | | | | |
| KOR 120/8 (50 PCS) | E11KM-01020106500 | 120 | 15,0 | 19,5 | 26 | 50,0 | 29,0 | M8 | √ | 19 | 1 | 2 | 50 | 3,3 | | | | | | | | |
| KOR 120/8 (10 PCS) | E11KM-01020106502 | | | | | | | 10 | | | | | 0,7 | | | | | | | | | |
| KOR 120/10 (50 PCS) | E11KM-01020106600 | | | | | | | 50 | | | | | 3,15 | | | | | | | | | |
| KOR 120/10 (10 PCS) | E11KM-01020106602 | | | | | | | 10 | | | | | 0,7 | | | | | | | | | |
| KOR 120/12 (50 PCS) | E11KM-01020106700 | | | | | 50 | 3,17 | | | | | | | | | | | | | | | |
| KOR 120/12 (10 PCS) | E11KM-01020106702 | | | | | 10 | 0,7 | | | | | | | | | | | | | | | |
| KOR 120/14 (50 PCS) | E11KM-01020106800 | | | | | 50 | 3,4 | | | | | | | | | | | | | | | |
| KOR 120/14 (10 PCS) | E11KM-01020106802 | | | | | 10 | 0,7 | | | | | | | | | | | | | | | |
| KOR 120/16 (50 PCS) | E11KM-01020106900 | | | | | 50 | 3,4 | | | | | | | | | | | | | | | |
| KOR 120/16 (10 PCS) | E11KM-01020106902 | | | | | 10 | 0,7 | | | | | | | | | | | | | | | |
| KOR 120/20 (50 PCS) | E11KM-01020107000 | | | | | 50 | 3,5 | | | | | | | | | | | | | | | |
| KOR 120/20 (10 PCS) | E11KM-01020107002 | | | | | 10 | 0,8 | | | | | | | | | | | | | | | |
| KOR 150/8 (50 PCS) | E11KM-01020107100 | 150 | 16,5 | 21,0 | 29 | 54,0 | 31,0 | M8 | √ | 20 | 2 | 3 | 50 | 3,78 | | | | | | | | |
| KOR 150/8 (10 PCS) | E11KM-01020107102 | | | | | | | 10 | | | | | 0,8 | | | | | | | | | |
| KOR 150/10 (50 PCS) | E11KM-01020107200 | | | | | | | 50 | | | | | 3,73 | | | | | | | | | |
| KOR 150/10 (10 PCS) | E11KM-01020107202 | | | | | | | 10 | | | | | 0,8 | | | | | | | | | |
| KOR 150/12 (50 PCS) | E11KM-01020107300 | | | | | 50 | 3,55 | | | | | | | | | | | | | | | |
| KOR 150/12 (10 PCS) | E11KM-01020107302 | | | | | 10 | 0,8 | | | | | | | | | | | | | | | |
| KOR 150/14 (50 PCS) | E11KM-01020107400 | | | | | 50 | 3,9 | | | | | | | | | | | | | | | |
| KOR 150/14 (10 PCS) | E11KM-01020107402 | | | | | 10 | 0,8 | | | | | | | | | | | | | | | |
| KOR 150/16 (50 PCS) | E11KM-01020107500 | | | | | 50 | 3,8 | | | | | | | | | | | | | | | |
| KOR 150/16 (10 PCS) | E11KM-01020107502 | | | | | 10 | 0,8 | | | | | | | | | | | | | | | |
| KOR 150/20 (50 PCS) | E11KM-01020107600 | | | | | 50 | 4,2 | | | | | | | | | | | | | | | |
| KOR 150/20 (10 PCS) | E11KM-01020107602 | | | | | 10 | 0,9 | | | | | | | | | | | | | | | |
| KOR 185/10 (50 PCS) | E11KM-01020107700 | 185 | 19,0 | 24,0 | 30 | 56,5 | 35,0 | M10 | √ | 23 | 2 | 3 | 50 | 4,92 | | | | | | | | |
| KOR 185/10 (10 PCS) | E11KM-01020107702 | | | | | | | 10 | | | | | 1 | | | | | | | | | |
| KOR 185/12 (50 PCS) | E11KM-01020107800 | | | | | | | 50 | | | | | 4,82 | | | | | | | | | |
| KOR 185/12 (10 PCS) | E11KM-01020107802 | | | | | | | 10 | | | | | 1 | | | | | | | | | |
| KOR 185/14 (50 PCS) | E11KM-01020107900 | | | | | 50 | 5,35 | | | | | | | | | | | | | | | |
| KOR 185/14 (10 PCS) | E11KM-01020107902 | | | | | 10 | 1,1 | | | | | | | | | | | | | | | |
| KOR 185/16 (50 PCS) | E11KM-01020108000 | | | | | 50 | 5,11 | | | | | | | | | | | | | | | |
| KOR 185/16 (10 PCS) | E11KM-01020108002 | | | | | 10 | 1,1 | | | | | | | | | | | | | | | |
| KOR 185/20 (50 PCS) | E11KM-01020108100 | | | | | 50 | 5,5 | | | | | | | | | | | | | | | |
| KOR 185/20 (10 PCS) | E11KM-01020108102 | | | | | 10 | 1,2 | | | | | | | | | | | | | | | |

| Type | Index Ergom | Cross-section, rm/sm [mm ²] | d | D | a | E | W | Screw hole | UL | Socket code no. | Lz/s | Lz/w | Quantity in package [pcs] | Weight [kg] | | | | | | | | | | |
|---------------------|-------------------|---|------|------|----|-------|------|------------|-----|-----------------|------|------|---------------------------|-------------|----|------|------|-----|---|----|---|---|-----|-----|
| KOR 240/10 (50 PCS) | E11KM-01020108200 | 240 | 21,0 | 26,0 | 38 | 73,5 | 38,0 | M10 | √ | 25 | 2 | 4 | 50 | 7,3 | | | | | | | | | | |
| KOR 240/10 (10 PCS) | E11KM-01020108202 | | | | | | | 10 | | | | | 1,5 | | | | | | | | | | | |
| KOR 240/12 (50 PCS) | E11KM-01020108300 | | | | | | | M12 | | | | | 50 | 7,3 | | | | | | | | | | |
| KOR 240/12 (10 PCS) | E11KM-01020108302 | | | | | | | 10 | | | | | 1,5 | | | | | | | | | | | |
| KOR 240/14 (50 PCS) | E11KM-01020108400 | | | | | | | M14 | | | | | 50 | 7,2 | | | | | | | | | | |
| KOR 240/14 (10 PCS) | E11KM-01020108402 | | | | | | | 10 | | | | | 1,5 | | | | | | | | | | | |
| KOR 240/16 (50 PCS) | E11KM-01020108500 | | | | | | | M16 | | | | | 50 | 7,1 | | | | | | | | | | |
| KOR 240/16 (10 PCS) | E11KM-01020108502 | | | | | | | 10 | | | | | 1,5 | | | | | | | | | | | |
| KOR 240/20 (50 PCS) | E11KM-01020108600 | | | | | | | M20 | | | | | 50 | 7 | | | | | | | | | | |
| KOR 240/20 (10 PCS) | E11KM-01020108602 | | | | | | | 10 | | | | | 1,5 | | | | | | | | | | | |
| KOR 300/10 (25 PCS) | E11KM-01020108700 | | | | | | | 300 | | | | | 24,0 | 30,0 | 45 | 82,5 | 43,0 | M10 | - | 28 | 2 | - | 25 | 5,7 |
| KOR 300/10 (10 PCS) | E11KM-01020108702 | | | | | | | | | | | | | | | | | 10 | | | | | 2,3 | |
| KOR 300/12 (25 PCS) | E11KM-01020108800 | M12 | 25 | 5,5 | | | | | | | | | | | | | | | | | | | | |
| KOR 300/12 (10 PCS) | E11KM-01020108802 | 10 | 2,3 | | | | | | | | | | | | | | | | | | | | | |
| KOR 300/14 (25 PCS) | E11KM-01020108900 | M14 | 25 | 5,55 | | | | | | | | | | | | | | | | | | | | |
| KOR 300/14 (10 PCS) | E11KM-01020108902 | 10 | 2,3 | | | | | | | | | | | | | | | | | | | | | |
| KOR 300/16 (25 PCS) | E11KM-01020109000 | M16 | 25 | 5,5 | | | | | | | | | | | | | | | | | | | | |
| KOR 300/16 (10 PCS) | E11KM-01020109002 | 10 | 2,3 | | | | | | | | | | | | | | | | | | | | | |
| KOR 300/20 (25 PCS) | E11KM-01020109100 | M20 | 25 | 5,2 | | | | | | | | | | | | | | | | | | | | |
| KOR 300/20 (10 PCS) | E11KM-01020109102 | 10 | 2,1 | | | | | | | | | | | | | | | | | | | | | |
| KOR 400/12 | E11KM-01020109202 | 400 | 27,5 | 33,5 | 50 | 90,0 | 49,0 | | M12 | - | 32 | 2 | | | | | | - | | | | | 1 | 0,3 |
| KOR 400/16 | E11KM-01020109402 | | | | | | | | M16 | | | | | | | | | | | | | | | |
| KOR 400/20 | E11KM-01020109502 | | | | | | | M20 | | | | | | | | | | | | | | | | |
| KOR 500/12 | E11KM-01020109602 | 500 | 31,0 | 38,0 | 70 | 112,5 | 55,0 | M12 | - | 36 | 3 | - | 1 | 0,5 | | | | | | | | | | |
| KOR 500/14 | E11KM-01020109702 | | | | | | | M14 | | | | | | | | | | | | | | | | |
| KOR 500/16 | E11KM-01020109802 | | | | | | | M16 | | | | | | | | | | | | | | | | |
| KOR 500/20 | E11KM-01020109902 | | | | | | | M20 | | | | | | | | | | | | | | | | |
| KOR 625/12 | E11KM-01020110002 | 625 | 34,0 | 40,0 | 70 | 114,0 | 60 | M12 | - | 42 | 3 | - | 1 | 0,5 | | | | | | | | | | |
| KOR 625/16 | E11KM-01020110202 | | | | | | | M16 | | | | | | | | | | | | | | | | |
| KOR 625/20 | E11KM-01020110302 | | | | | | | M20 | | | | | | | | | | | | | | | | |

Lz/s - Number of crimping - wide, Lz/w - Number of crimping - narrow